Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2	(slider and dis\$1 and (ac or (alternate near2 current)) and (dc or (direct near2 current)) and interference).CLM.	US-PGPUB	OR	ON	2005/09/29 13:50

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	(detect\$3 sens\$3) near3 ((fly near2 height) or spacing or position) near3 (head near2 slider)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:48
L2	133	slider same dis\$1 and (ac or (alternate near2 current)) and (dc or (direct near2 current)) and interference	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:55
L3	2	(slider and dis\$1 and (ac or (alternate near2 current)) and (dc or (direct near2 current)) and interference).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:50
L4	2	(slider and dis\$1 and (ac or (alternate near2 current)) and (dc or (direct near2 current)) and interference).CLM.	US-PGPUB	OR	ON	2005/09/29 13:50
L5		slider same dis\$1 and ((ac or (alternate near2 current) or frequency) and (dc or (direct near2 current)) same (based according accordance) near5 interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:57
L6	. 4	slider same dis\$1 and (voltage same (based according accordance) near5 interference)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 13:59
L7	78	dis\$1 and slider same (detect\$3 sens\$3 determin\$3) near4 interference	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2005/09/29 14:00
L8	1080	(bias near2 voltage) same ((ac dc (alternate adj current) or frequency) near5 (direct adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/29 14:08
L9	413	(detect\$3 sens\$3 determin\$3) near4 (fly\$3 near2 height) same dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/29 14:09
L12	16	8 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:11

		· · · · · · · · · · · · · · · · · · ·				
L13	278	9 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:11
L14	17	13 and (bias near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:12
L15	31	("3732552" "4340956" "4605977" "4669011" "4853810" "4905107" "4931887" "5021906" "5276573" "5377058" "5410439" "5412519" "5495372" "5528922" "5537269" "5589996" "5677808" "5708540" "5764432" "5796558" "5805384" "5838514" "5856896" "5870251" "5898541" "5943189" "6002549" "6005736" "6108175" "6118637" "6139936").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/29 14:17
L16	4	("6501606").URPN.	USPAT	OR	ON	2005/09/29 14:19
L17	1621	(bias near2 voltage) same ((ac or (alternate adj2 current)) near4 (dc or (direct adj2 current))) and ((clearance distance (fly\$3 near2 height) spac\$3) or intereference)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:23
L18	. 272	17 and dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:23
L19	90	18 and slid\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/09/29 14:24